
NIDA System Ceiling triple linning Double frame with Adjustable Bracket Rigid fixing with massive element Cross Section



The technical details presented in this documentation represent System Type details, their adaptation to the NIDA System Ceiling triple linning. Double frame with Adjustable Bracket project will be done by the specialised designer of the building in collaboration with the SINIAT technical department.

## NIDA System P

Chapter title:


Subchapter title:

Rigid fixing with massive elements. Cross Section

Drawing no: Edition no: Scale: Date: P3.S2.Br.001 1:5 2019



NIDA System Ceiling triple linning Double frame with Adjustable Bracket Sliding fixing with massive elements Cross Section



The technical details presented in this documentation represent System Type details, their adaptation to the NIDA System Ceiling triple linning. Double frame with Adjustable Bracket project will be done by the specialised designer of the Subchapter title: building in collaboration with the SINIAT technical department.

NIDA	System	F
------	--------	---


Chapter title:

Sliding fixing with massive elements. Cross Section

Drawing no: Edition no: Scale: Date: P3.S2.Br.002 1:5 2019




NIDA System Ceiling triple linning Double frame with Adjustable Bracket Rigid fixing with massive element Longitudinal Section



The technical details presented in this documentation project will be done by the specialised designer of the Subchapter title: building in collaboration with the SINIAT technical department.

## NIDA System P Chapter title: represent System Type details, their adaptation to the NIDA System Ceiling triple linning. Double frame with Adjustable Bracket Rigid fixing with massive elements.Longitudinal Section Drawing no: Edition no: Scale: Date: 2019 P3.S2.Br.003 1:5

NIDA System Ceiling triple linning Double frame with Adjustable Bracket Sliding fixing with massive elements Longitudinal Section



The technical details presented in this documentation represent System Type details, their adaptation to the NIDA System Ceiling triple linning. Double frame with Adjustable Bracket project will be done by the specialised designer of the Subchapter title: building in collaboration with the SINIAT technical department.

NIDA System	F
-------------	---


Chapter title:

Sliding fixing with massive elements.Longitudinal Section

Drawing no: Edition no: Scale: Date: 2019 P3.S2.Br.004 1:5



NIDA System Ceiling triple linning Double frame with Adjustable Bracket Intersection with Plasterboard Wall Partition Cross Section




(\*\*) The self tapping screw shall be fixed on the metal structure of the Plasterboard Wall, the length of the screw will be according to the thikness of the fixing package (Wall boards thikness of layers)

NIDA System P					
Chapter title: NIDA System Ceiling triple linning. Double frame with Adjustable Bracket					
Subchapter title: Intersection with Plasterboard Wall Partition. Cross Section					
Drawing no:	Edition no:	Scale:	Date:		
P3 S2 Br 005	l <sub>1</sub>	1.5	2019	ı	



NIDA System Ceiling triple linning Double frame with Adjustable Bracket Intersection with Dry Wall Partition Longitudinal Section




NOTE:

(\*\*) The self tapping screw shall be fixed on the metal structure of the Plasterboard Wall, the length of the screw will be according to the thikness of the fixing package (Wall boards thikness of layers)

•	NIDA System P				
е	Chapter title: NIDA System Ceiling triple linning. Double frame with Adjustable Bracket				
е	Subchapter title: Intersection with Plasterboard Wall Partition. Longitudinal section				
	Drawing no:	Edition no:	Scale:	Date:	
	P3.S2.Br.006	1	1:5	2019	



NIDA System Ceiling triple linning Double frame with Adjustable Bracket Expansion joint Cross Section




## NOTE:

- (iv) For the last row of plasterboards joints shall not be made in the indicated area; The joint shall also be placed right to the structural joints;
- \* The size of the joint's gap will be established considering the size of the structural joint's gap but not less than 20 mm;
- \*\* Boards overlap shall have a value of minimum (\* + 10 mm)


NIDA System P				
Chapter title: NIDA System Ceiling triple linning. Double frame with Adjustable Bracket				
Subchapter title: Expansion joint. Cross Section				
Drawing no:	Edition no:	Scale:	Date:	
D2 S2 Br 007	I <sub>1</sub>	1.5	2010	

NIDA System Ceiling triple linning Double frame with Adjustable Bracket Expansion joint Longitudinal Section




- (iv) For the last row of plasterboards joints shall not be made in the indicated area; The joint shall also be placed right to the structural joints;
- The size of the joint's gap will be established considering the size of the structural joint's gap but not less than 20 mm;
- \*\* Boards overlap shall have a value of minimum (\* + 10 mm)


NIDA System P				
Chapter title: NIDA System Ceiling triple linning. Double frame with Adjustable Bracket				
Subchapter title: Expansion joint. Longitudinal Section				
Drawing no:	Edition no:	Scale:	Date:	
D3 S2 Br 008	11	1.5	2010	



The technical details presented in this documentation represent System Type details, their adaptation to the project will be done by the specialised designer of the building in collaboration with the SINIAT technical department.

Extension connection NIDA Metal CD 60





The technical details presented in this documentation represent System Type details, their adaptation to the project will be done by the specialised designer of the building in collaboration with the SINIAT technical department.

## NIDA System P Chapter title: NIDA System Ceiling triple linning. Double frame with Adjustable Bracket Subchapter title: Boards staggering. System elevation Drawing no: Edition no: Scale: Date: P3.S2.Br.010 1 1:5 2019